



STATE: Chhattisgarh

DATED: 25/09/2012

Note: - As per NCVT decision all the instructors must be trained within three years. The State Director/Commissioner/Pvt management are requested to sponsor 30% instructors every year for Training in Trainer Program (in any CTI module) of DGET field Institute.

<b>SCIR (Standing Committee Inspection Report); DIR (Departmental Inspection Report); Std. Comm (Standing Committee); NR (Not Recommended); NC (Not Considered); SIR (Supplementary Inspection Report); PS (Power Supply); T&amp;E (Tools &amp; Equipment)</b>						
Name, Address & File No. of Institute for ref. & Future correspondence draft	Trade	Units for which affiliation sought / recommended by			Remarks	
		Instt.	Std. Comm.	Approval by Sub-Committee of NCVT		
1. Govt. ITI, Pali, Dist. Korba Chhattisgarh  DGET-6/33/19/2002-TC <b>VOL.II</b>	Welder (G&E)  MMV	2(1+1)  2(1+1)	2(1+1)  2(1+1)	2(1+1)  2(1+1)	SCIR-4/4/2012 SIR-24/8/2012 w.e.f. Aug 2012	
2. Govt. ITI, Bagbahra, Dist. Mahasamund Chhattisgarh  DGET-6/35/1/2012-TC	COPA	2(1+1)	2(1+1)	*Rejected	SCIR-2/4/2012 SIR-24/8/2012 *Already rejected in the meeting held on 28.06.2012, as the Tools & Equipment is not as per NCVT norms.	
3. Sandipani Academy Private ITI, Gram. Achhoti, Post. Murmunda, Taluka- Dhamdha, Dist. Durg Chhattisgarh  DGET-6/35/5/2012-TC (New Pvt.)	COPA	2(1+1)	2(1+1)	2(1+1)	SCIR-19/7/2012 w.e.f. Aug 2012	
4. Yash Private ITI, Vill. Lachhanpur, Jangir Dist. Jangir - Champa Chhattisgarh  DGET-6/35/4/2009-TC	Physiotherapy	2(1+1)	2(1+1)	2(1+1)	SCIR-18/7/2012 w.e.f. Aug 2012	
5. Govt. ITI, Gharghoda, Dist. Raigarh Chhattisgarh  DGET-6/33/20/2002-TC	COPA	Addl. One Unit	-	Addl. One Unit Total 2(1+1)	DIR-27/7/2012 w.e.f. Aug 2012	



STATE: Chattisgarh

DATED: 25/09/2012

Note: - As per NCVT decision all the instructors must be trained within three years. The State Director/Commissioner/Pvt management are requested to sponsor 30% instructors every year for Training in Trainer Program (in any CTI module) of DGET field Institute.

<b>SCIR (Standing Committee Inspection Report); DIR (Departmental Inspection Report); Std. Comm (Standing Committee); NR (Not Recommended); NC (Not Considered); SIR (Supplementary Inspection Report); PS (Power Supply); T&amp;E (Tools &amp; Equipment)</b>						
Name, Address & File No. of Institute for ref. & Future correspondence draft	Trade	Units for which affiliation sought / recommended by			Remarks	
		Instt.	Std. Comm.	Approval by Sub-Committee of NCVT		
6	Jagrani Devi Private ITI, Dabra Vill. & Post. Dabra, Teh. Dabra Dist. Janjgir-Champa Chattisgarh  DGET-6/35/8/2012-TC (New Pvt.)	Electrician	4(2+2)	4(2+2)	*Rejected	SCIR-20/7/20102 *Rejected as experience certificate enclosed for Principal & instructional staff are from JRD Private ITI, Champa which are identical as well as the same institute has issued the experience certificate to principal & instructional staff of Jagrani Devi Private ITI, Dabra, Champa. The layout plan for workshop not shown.
7	Jagrani Devi Private ITI, Birra, Baradwar, Vill. & Post. Birra, Baradwar Dist. Janjgir-Champa Chattisgarh  DGET-6/35/6/2012-TC (New Pvt.)	Electrician	4(2+2)	4(2+2)	*Rejected	SCIR-20/7/2012 *Rejected as there is manipulated in the year of Rent agreement. The experience certificate enclosed for Principal & instructional staff are from JRD Private ITI, Champa which are identical as well as the same institute has issued the experience certificate to principal & instructional staff of Jagrani Devi Private ITI, Birra, Champa.
8	Raja Vijay Bhushan Singh Dev Private ITI, Dist. Jashpur Chattisgarh  DGET-6/35/4/2012-TC (New Pvt.)	Electrician  COPA	4(2+2)  2(1+1)	4(2+2)  2(1+1)	*  *	SCIR-11/7/2012 *The registration number of the architecture is not mentioned. S/D to forward.
9	Govt. ITI, Berla, Dist. Bemetara Chattisgarh  DGET-6/33/5/2002-TC	COPA  Welder	Addl. One Unit  Addl. One Unit	-  -	*Rejected  #	DIR-25/7/2012 *Rejected as the Tools & Equipment is not as per NCVT norms. # The experience certificate of instructor engaged is not enclosed. Requisite experience of instructor should be sent/appoint new instructor. S/D to forward.

रस. के. शिमा K. DHIMAN  
प्रशिक्षण अधिकारी/Training Officer  
रोजगार एवं प्रशिक्षण विभाग, लो. डी. ई. & टी.  
भारत सरकार, नई दिल्ली  
Ministry of Labour & Employment,  
भारत सरकार, नई दिल्ली  
New Delhi




STATE: Chattisgarh

DATED: 25/09/2012

Note: - As per NCVT decision all the instructors must be trained within three years. The State Director/Commissioner/Pvt management are requested to sponsor 30% instructors every year for Training in Trainer Program (in any CTI module) of DGET field Institute.

<b>SCIR (Standing Committee Inspection Report); DIR (Departmental Inspection Report); Std. Comm (Standing Committee); NR (Not Recommended); NC (Not Considered); SIR (Supplementary Inspection Report); PS (Power Supply); T&amp;E (Tools &amp; Equipment)</b>						
Name, Address & File No. of Institute for ref. & Future correspondence draft	Trade	Units for which affiliation sought / recommended by			Remarks	
		Instt.	Std. Comm.	Approval by Sub-Committee of NCVT		
Govt. ITI, Women, Koni-Bilaspur, Dist. Bilaspur Chattisgarh  DGET-6/12/6/93-TC	Architectural Assistant	2(1+1)	2(1+1)	*Rejected	SCIR-19/7/2012 *1. One instructor for each trade appointed against two instructor for two units. 2. Tool list available for one unit. 3. Electric load extension process is under process.	
	Interior Decoration & Designing	2(1+1)	2(1+1)	*Rejected		
Govt. ITI, Jagdalpur, Dist. Bastar Chattisgarh  DGET-6/12/4/94-TC	Driver cum Mechanic	2(1+1)	2(1+1)	2(1+1)	SCIR-19/7/2012 w.e.f. Aug 2012	
Institute of Technology & Science Private ITI, Behind Civil Court, Devbhog Road, Gariaband, Tehsil. Bindranawagarh, Dist. Raipur Chattisgarh  DGET-6/35/7/2012-TC (New Pvt.)	Electrician	2(1+1)	2(1+1)	2(1+1)	SCIR-21/7/2012 w.e.f. Aug 2012	
	Fitter	4(2+2)	4(2+2)	4(2+2)		
	Hospital House Keeping	2(1+1)	2(1+1)	2(1+1)		
Jagrani Devi Private ITI, Baradwar Janjgir Champa, Dist. Janjgir Champa Chattisgarh  DGET-6/35/12/2010-TC	Electrician	4(2+2)	4(2+2)	*Rejected	SCIR-23/5/2010 SIR-26/7/2012 SIR-11/7/2012 *The case already rejected in the meeting held on 24.08.2012. Moreover the clarification has not been sent within stipulated period.	
	COPA	4(2+2)	4(2+2)	*Rejected		

  
 एस. के. धिमान/S.K. DHIMAN  
 प्रशिक्षण अधिकारी/Training Officer  
 रोजगार एवं प्रशिक्षण विभाग/Ministry of Labour & Employment  
 भारत सरकार/Ministry of Labour & Employment  
 नई दिल्ली/New Delhi

STATE: Chattisgarh




DATED: 25/09/2012

Note: - As per NCVT decision all the instructors must be trained within three years. The State Director/Commissioner/Pvt management are requested to sponsor 30% instructors every year for Training in Trainer Program (in any CTI module) of DGET field Institute.

**SCIR (Standing Committee Inspection Report); DIR (Departmental Inspection Report); Std. Comm (Standing Committee); NR (Not Recommended); NC (Not Considered); SIR (Supplementary Inspection Report); PS (Power Supply); T&E (Tools & Equipment)**

Name, Address & File No. of Institute for ref. & Future correspondence draft	Trade	Units for which affiliation sought / recommended by			Remarks
		Instt.	Std. Comm.	Approval by Sub-Committee of NCVT	
14 D.B. M. Private ITI, Link Road, Dist. Janjgir-Champa Chattisgarh  DGET-6/35/5/2009-TC (Part File)	Electrician	4(2+2)	4(2+2)	*Rejected	SCIR-19/7/2012 *No Principal room, staff room, Library, Dispensary IT Lab and not even COPA lab is shown in the layout plan, for which the institute had already been affiliated for COPA trade. The layout plan is not in the blueprint also.
15 A.T. College of Electronics Private ITI, Lakha Nagar, Chowk Slope, Ashwani Nagar, Dist. Raipur Chattisgarh  DGET-6/35/15/2010-TC	COPA	2(1+1)	2(1+1)	2(1+1)	SCIR-20/7/2012 w.e.f. Aug 2012

  
**S. K. DHIMAN**  
 प्रशिक्षण उपनिर्देशक/Training Officer  
 रोजगार एवं प्रशिक्षण विभाग/O.G.E.&T.  
 भवन ए-3, ट्रेडर भवन  
 Ministry of Labour & Employment  
 भारत सरकार/Ministry of India  
 नई दिल्ली/New Delhi